

**HARTBEN 75 PS-T**

TYPE	Aromatic polyisocyanate adduct.		
DELIVERY FORM	75 % in ETHYLACETATE		
COMPOSITION AND PHYSICAL CONSTANTS			
Standard Inspection			Review 000
Test Methods		Units	Specifications
PRODUCT SPECIFICATIONS*	BN1	Solids % (+/-1)	75
	BN 5/ASTM D 1544	Colour Gardner - Hellige	1 max.
	BN 6/ASTM D 1545	Viscosity (Gardner-Holdt at 25°C)	V-Y
	BN 16/ASTM 2172-91	NCO percentage	12,5-13,5
	BN 20/Visual	Aspect	Clear
PERFORMANCE AND SUGGESTED USES	HARTBEN 75 P/ST is an aromatic polyisocyanate adduct endowed with high body, brightness and flexibility. HARTBEN 75 P/ST is suggested, alone or combined with other polyisocyanate polymers, as crosslinker for hydroxylated binders in two – components systems. HARTBEN 75 P/ST allows to produce sealers and finishes for furniture, floors and metals, when a good yellowing resistance is not particularly requested.		
SOLUBILITY AND COMPATIBILITY	Aromatics Aliphatics Esters-Ketones	Limited Insoluble Soluble	
STORAGE AND SHELF LIFE	The resin should be stored indoors in the original, unopened and undamaged containers in a dry place at storage temperatures between 5°C and 30°C. Exposure to direct sunlight should be avoided.		
GUIDELINE AND SAFETY	Under the above mentioned storage conditions the shelf life of the resin will be at least 12 months ex works. For any information related to handling and toxicological knowledge about this resin please refer to the Safety data Sheet.		
*Product Specification Hartben 75 PS-T			
Review 000			
Customer Approval Signature:		Date:	
(Nothing receiving within 7 days, we assume accepted the conditions we proposed.)			

This edition deletes and substitutes all the preceding ones. The above information is reliable and accurate to the best of our knowledge and is not intended to violate any existing or pending patents. We suggest always to carry out laboratory tests before using the product.